



# PRODUCT SPECIFICATION SHEET


**Product Name: Great Lakes 840E-2936 E Series Enclosures**

| Specifications  |                                                                                                     |
|-----------------|-----------------------------------------------------------------------------------------------------|
| Dimensions      | 84"H x 24"W x 36"D                                                                                  |
| Shipping Weight | 400 lbs                                                                                             |
| Rack Spaces     | 44 U 19"                                                                                            |
| Certifications  | EIA 310-E Compliant                                                                                 |
|                 | UL Listed: UL60950-1 Standard for IT & Communications Equipment, Cabinet Enclosures and Rack System |
| Weight Capacity | 1,500 lbs on levelers, bolted to floor, or on heavy duty casters                                    |
| Finish (Paint)  | Electrostatic Microfinish (Custom designed upon request)                                            |



| Height | Width | Depth | RU | Panel Width | A  | Anchor Width | Anchor Depth | Total Area          | RO <sub>1</sub> | RO <sub>2</sub> | RO <sub>3</sub> | RO <sub>4</sub> |
|--------|-------|-------|----|-------------|----|--------------|--------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| 84"    | 29"   | 36"   | 44 | 21.19"      | 10 | 14"          | 31.95"       | 52.5in <sup>2</sup> | 16.76"          | 2.07"           | 3.57"           | 8.88"           |



# BOTTOM VIEW




# TOP VIEW



DETAIL B

Side Panel Options:  
Lift-off, Lockable -  
Lift-off, Lockable Louvered -

Top Options:  
Louvered -  
Solid -  
Perforated -  
Fan (225 CFM) -  
10" Fan (550 CFM) -  
2 x 10" Fan (1100 CFM)



Door Options:  
- Plexiglas  
- Perimeter Vented  
- Mesh  
- Perimeter Vented Plexi  
- Solid