

PRODUCT SPECIFICATION SHEET

Product Name: HellermannTyton® Slotted Wall Wiring Duct (1in to 4 in)

1in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-11009	Slotted Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, Black	120 ft/Carton	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-11011	Slotted Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, Gray	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-11013	Slotted Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, Gray	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-11014	Slotted Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, White	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-11015	Slotted Wall Wiring Duct, Non-Adhesive	1" x 1.5"	PVC, White	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-11503	Slotted Wall Wiring Duct, Non-Adhesive	1" x 1.5"	PVC, Gray	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-11505	Slotted Wall Wiring Duct, Non-Adhesive	1" x 1.5"	PVC, Gray	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-11507	Slotted Wall Wiring Duct, Non-Adhesive	1" x 1.5"	PVC, White	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-00024	Slotted Wall Wiring Duct, Non-Adhesive	1" x 2"	PVC, Black	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-12003	Slotted Wall Wiring Duct, Non-Adhesive							

1in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-12015	Slotted Wall Wiring Duct, Non-Adhesive	1" x 2"	PVC, Gray	140 ft/Cartron	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-13003	Slotted Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, Black	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-13004	Slotted Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, Intrinsic Blue	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-13005	Slotted Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, Gray	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-13006	Slotted Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, Gray	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-13007	Slotted Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, White	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-13008	Slotted Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, White	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-13015	Slotted Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, Gray	140 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-14001	Slotted Wall Wiring Duct, Non-Adhesive	1" x 4"	PVC, Black	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-14002	Slotted Wall Wiring Duct, Non-Adhesive	1" x 4"	PVC, Gray	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-14003	Slotted Wall Wiring Duct, Non-Adhesive	1" x 4"	PVC, Gray	120 ft				

1in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-11509	Slotted Wall Wiring Duct, Adhesive	1" x 1.5"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	UL EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 CSA
HT-181-11510	Slotted Wall Wiring Duct, Adhesive	1" x 1.5"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-12010	Slotted Wall Wiring Duct, Adhesive	1" x 2"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-12011	Slotted Wall Wiring Duct, Adhesive	1" x 2"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-12012	Slotted Wall Wiring Duct, Adhesive	1" x 2"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-12013	Slotted Wall Wiring Duct, Adhesive	1" x 2"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-13009	Slotted Wall Wiring Duct, Adhesive	1" x 3"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-13011	Slotted Wall Wiring Duct, Adhesive	1" x 3"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-00569	Slotted Wall Wiring Duct, Adhesive	1" x 4"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
1.5 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications

1.5 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-15510	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 1.5"	PVC, White	30 ft/Box	No	+122°F (+50°C)	No	EN 50085-2-3_1A UL CSA EN 50085-1:2005 + A1:2013
HT-181-15511	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 1.5"	PVC, White	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-15203	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 2"	PVC, Black	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-15204	Slotted Wall Wiring Duct, No Mounting Holes	1.5" x 2"	PVC, Black	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-15206	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 2"	PVC, Gray	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-15207	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 2"	PVC, Gray	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-15208	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 2"	PVC, White	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-15209	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 2"	PVC, White	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-00211	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 3"	PVC, Intrinsic Blue	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-00550	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 3"	PVC, Black	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-15301	Slotted Wall Wiring Duct, No Mounting							

1.5 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-15404	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 4"	PVC, Gray	120 ft/Cartron	No	+122°F (+50°C)	No	EN 50085-2-3_1A UL CSA EN 50085-1:2005 + A1:2013
HT-181-15406	Slotted Wall Wiring Duct, Non-Adhesive	1.5" x 4"	PVC, White	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-00571	Slotted Wall Wiring Duct, Adhesive	1.5" x 1"	PVC, Gray	120 ft/carton	No	+122°F (+50°C)	No	EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 CSA UL
HT-181-00572	Slotted Wall Wiring Duct, Adhesive	1.5" X 1"	PVC, White	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-00027	Slotted Wall Wiring Duct, Adhesive	1.5" x 1.5"	PVC, Black	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-15512	Slotted Wall Wiring Duct, Adhesive	1.5" x 1.5"	PVC, Gray	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-15513	Slotted Wall Wiring Duct, Adhesive	1.5" x 1.5"	PVC, Gray	120 ft/Cartron	No	+122°F (+50°C)	No	
HT-181-15514	Slotted Wall Wiring Duct, Adhesive	1.5" x 1.5"	PVC, White	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-00573	Slotted Wall Wiring Duct, Adhesive	1.5" x 2"	PVC, Black	120ft/Cartron	No	+122°F (+50°C)	No	
HT-181-15210	Slotted Wall Wiring Duct, Adhesive	1.5" x 2"	PVC, Gray	30 ft/Box	No	+122°F (+50°C)	No	

2 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00554	Slotted Wall Wiring Duct, Non-Adhesive	2" x 1"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	EN 50085-2-3_1A UL EN 50085-1:2005 + A1:2013 CSA
HT-181-21005	Slotted Wall Wiring Duct, Non-Adhesive	2" x 1"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-21007	Slotted Wall Wiring Duct, Non-Adhesive	2" x 1"	PVC, Black	PVC, White	No	+122°F (+50°C)	No	
HT-181-23085	Slotted Wall Wiring Duct, Non-Adhesive	2" x 1"	PVC, Intrinsic Blue	120ft/carton	No	+122°F (+50°C)	No	
HT-181-22019	Slotted Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, Black	30ft/Box	No	+122°F (+50°C)	No	
HT-181-22020	Slotted Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-22021	Slotted Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, Intrinsic Blue	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-22022	Slotted Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-22024	Slotted Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, Gray	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-22027	Slotted Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, White	30 ft/Box	No	+122°F (+50°C)	No	
HT-181-22028	Slotted Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC,					

2 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-23013	Slotted Wall Wiring Duct, Non-Adhesive	2" x 3"	PVC, Black	30ft/Box	No	+122°F (+50°C)	No	EN 50085-2-3_1A UL EN 50085-1:2005 + A1:2013 CSA
HT-181-23015	Slotted Wall Wiring Duct, Non-Adhesive	2" x 3"	PVC, Gray	140 ft/carton	No	+122°F (+50°C)	No	
HT-181-24003	Slotted Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-24005	Slotted Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, Black	30ft/Box	No	+122°F (+50°C)	No	
HT-181-24006	Slotted Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, Intrinsic Blue	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-24007	Slotted Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-24008	Slotted Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-24010	Slotted Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-24011	Slotted Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, White	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-24015	Slotted Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, Gray	140ft/carton	No	+122°F (+50°C)	No	
HT-181-00236	Slotted Wall Wiring Duct, Non-Adhesive	2" x 5"	P					

2 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-21009	Slotted Wall Wiring Duct, Adhesive	2" x 1"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	EN 50085-1:2005 + A1:2013 EN 50085-2-3_1A UL CSA
HT-181-00681	Slotted Wall Wiring Duct, Adhesive	2" x 2"	PVC, Black	30ft/Box	No	+122°F (+50°C)	No	
HT-181-22031	Slotted Wall Wiring Duct, Adhesive	2" x 2"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-22032	Slotted Wall Wiring Duct, Adhesive	2" x 2"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-22033	Slotted Wall Wiring Duct, Adhesive	2" x 2"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-22034	Slotted Wall Wiring Duct, Adhesive	2" x 2"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-00581	Slotted Wall Wiring Duct, Adhesive	2" x 3"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-00582	Slotted Wall Wiring Duct, Adhesive	2" x 3"	PVC, Gray	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-23011	Slotted Wall Wiring Duct, Adhesive	2" x 3"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-23012	Slotted Wall Wiring Duct, Adhesive	2" x 3"	PVC, White	120 ft/Carton	No	+122°F (+50°C)	No	
HT-181-00583	Slotted Wall Wiring Duct, Adhesive	2" x 4"	PVC, Black	120ft/Carton	No	+122°F (+		

2.5 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00212	Slotted Wall Wiring Duct, Non-Adhesive	2.5" x 3"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 CSA UL
HT-181-00213	Slotted Wall Wiring Duct, Non-Adhesive	2.5" x 3"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-00217	Slotted Wall Wiring Duct, Non-Adhesive	2.5" x 3"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-00318	Slotted Wall Wiring Duct, Non-Adhesive	2.5" x 3"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-23092	Slotted Wall Wiring Duct, Non-Adhesive	2.5" x 3"	PVC, Black	30ft/Box	No	+122°F (+50°C)	No	
HT-181-00214	Slotted Wall Wiring Duct, Adhesive	2.5" x 3"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-00215	Slotted Wall Wiring Duct, Adhesive	2.5" x 3"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-00218	Slotted Wall Wiring Duct, Adhesive	2.5" x 3"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-00219	Slotted Wall Wiring Duct, Adhesive	2.5" x 3"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-00319	Slotted Wall Wiring Duct, Adhesive	2.5" x 3"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	
3 in Slotted Wiring Duct								

3 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-31006	Slotted Wall Wiring Duct, Non-Adhesive	3" x 1"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	EN 50085-1:2005 + A1:2013 CSA EN 50085-2-3_1A UL
HT-181-31007	Slotted Wall Wiring Duct, Non-Adhesive	3" x 1"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-32004	Slotted Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-32005	Slotted Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-32006	Slotted Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-32007	Slotted Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, Gray	140ft/Carton	No	+122°F (+50°C)	No	
HT-181-32009	Slotted Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-32016	Slotted Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, Black	30ft/Box	No	+122°F (+50°C)	No	
HT-181-33008	Slotted Wall Wiring Duct, Non-Adhesive	3" x 3"	PVC, Black	30ft/Box	No	+122°F (+50°C)	No	
HT-181-33009	Slotted Wall Wiring Duct, Non-Adhesive	3" x 3"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-33012	Slotted Wall Wiring Duct, Non-Adhesive</							

3 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-34003	Slotted Wall Wiring Duct, Non-Adhesive	3" x 4"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	EN 50085-1:2005 + A1:2013 CSA EN 50085-2-3_1A UL
HT-181-34004	Slotted Wall Wiring Duct, Non-Adhesive	3" x 4"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-34006	Slotted Wall Wiring Duct, Non-Adhesive	3" x 4"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-34007	Slotted Wall Wiring Duct, Non-Adhesive	3" x 4"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-34015	Slotted Wall Wiring Duct, Non-Adhesive	3" x 4"	PVC, Gray	70 ft/carton	No	+122°F (+50°C)	No	
HT-181-00560	Slotted Wall Wiring Duct, Non-Adhesive	3" x 5"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-35001	Slotted Wall Wiring Duct, Non-Adhesive	3" x 5"	PVC, Black	30ft/Box	No	+122°F (+50°C)	No	
HT-181-35002	Slotted Wall Wiring Duct, Non-Adhesive	3" x 5"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-35005	Slotted Wall Wiring Duct, Non-Adhesive	3" x 5"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-00584	Slotted Wall Wiring Duct, Adhesive	3" x 1"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	UL EN 50085-1:2005 + A1:2013 CSA EN 50085-2-

3 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-33021	Slotted Wall Wiring Duct, Adhesive	3" x 3"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	UL EN 50085-1:2005 + A1:2013 CSA EN 50085-2-3_1A
HT-181-33022	Slotted Wall Wiring Duct, Adhesive	3" x 3"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-33023	Slotted Wall Wiring Duct, Adhesive	3" x 3"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-00590	Slotted Wall Wiring Duct, Adhesive	3" x 4"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-00156	Slotted Wall Wiring Duct, Adhesive	3" x 5"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
4 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-42005	Slotted Wall Wiring Duct, Non-Adhesive	4" x 2"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	EN 50085-2-3_1A CSA EN 50085-1:2005 + A1:2013 UL
HT-181-42006	Slotted Wall Wiring Duct, Non-Adhesive	4" x 2"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-42008	Slotted Wall Wiring Duct, Non-Adhesive	4" x 2"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-42010	Sl							

4 in Slotted Wiring Duct								
Part #	Descriptions	Size Duct	Material, Color	Qty.	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-44020	Slotted Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, Black	120ft/Carton	No	+122°F (+50°C)	No	CSA EN 50085-1:2005 + A1:2013 EN 50085-2-3_1A UL
HT-181-44024	Slotted Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, Intrinsic Blue	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-44025	Slotted Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, Gray	30ft/Box	No	+122°F (+50°C)	No	
HT-181-44027	Slotted Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, Gray	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-44030	Slotted Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, White	30ft/Box	No	+122°F (+50°C)	No	
HT-181-44031	Slotted Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, White	120ft/Carton	No	+122°F (+50°C)	No	
HT-181-44050	Slotted Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, Gray	70 ft/carton	No	+122°F (+50°C)	No	
HT-181-45002	Slotted Wall Wiring Duct, Non-Adhesive	4" x 5"	PVC, Black	60ft/Carton	No	+122°F (+50°C)	No	
HT-181-45010	Slotted Wall Wiring Duct, Non-Adhesive	4" x 5"	PVC, Gray	60ft/Carton	No	+122°F (+50°C)	No	
HT-181-45011	Slotted Wall Wiring Duct, Non-Adhesive	4" x 5"	PVC, White	60ft/Carton	No	+122°F (+50°C)	No	
HT-181-42012	Slotted Wall Wiring Duct, Adhesive	4" x 2"	PVC, Gray					