

PRODUCT SPECIFICATION SHEET

Product Name: HellermannTyton® Solid Wall Wiring Duct All Sizes

0.5 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-05502	Solid Wall Wiring Duct, No Mounting Holes	0.5" x .5"	PVC, Gray	120 ft/ Carton	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-00453	Solid Wall Wiring Duct, Non-Adhesive	0.5" x .5"	PVC, White	120 ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-05500	Solid Wall Wiring Duct, Non-Adhesive	0.5" x .5"	PVC, Black	120 ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-05501	Solid Wall Wiring Duct, Non-Adhesive	0.5" x .5"	PVC, Gray	120 ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-05503	Solid Wall Wiring Duct, Non-Adhesive	0.5" x .5"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-05100	Solid Wall Wiring Duct, Non-Adhesive	0.5" x 1"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
0.75 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00142	Solid Wall Wiring Duct, Adhesive	0.75" x .75"	PVC, White	120 ft/ Carton	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-75752	Solid Wall Wiring Duct, Adhesive	0.75" x .75"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-00456	Solid Wall Wiring Duct, Non-Adhesive	0.75" x .75"	PVC, White	120 ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-75750	Solid Wall Wiring Duct, Non-Adhesive	0.75" x .75"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	

1 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-11006	Solid Wall Wiring Duct, Adhesive	1" x 1"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-00170	Solid Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-05518	Solid Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, Intrinsic Blue	120 ft/ carton	6.0	No	+122°F (+50°C)	No	
HT-181-11000	Solid Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-11002	Solid Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-11004	Solid Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-11005	Solid Wall Wiring Duct, Non-Adhesive	1" x 1"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-11501	Solid Wall Wiring Duct, Non-Adhesive	1" x 1.5"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-11502	Solid Wall Wiring Duct, Non-Adhesive	1" x 1.5"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-12002	Solid Wall Wiring Duct, Non-Adhesive	1" x 2"	PVC, White	120 ft/ carton	6.0	No	+122°F (+50°C)	No	
HT-181-00172	Solid Wall Wiring Duct, Non-Adhesive	1" x 2"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-13001	Solid Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00136	Solid Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00174	Solid Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-00189	Solid Wall Wiring Duct, Non-Adhesive	1" x 3"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	

1.5 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00325	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 1"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-15100	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 1"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-15102	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 1"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00483	Solid Wall Wiring Duct, Adhesive	1.5" x 1.5"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-15500	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 1.5"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-15502	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 1.5"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-15503	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 1.5"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-15200	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 2"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-15202	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 2"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00195	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 2"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-15300	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 3"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00464	Solid Wall Wiring Duct, Non-Adhesive	1.5" x 3"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00574	Solid Wall Wiring Duct, Non-Adhesive	1.5" X 4"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	

2 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00499	Solid Wall Wiring Duct, Adhesive	2" x 1"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-21001	Solid Wall Wiring Duct, Non-Adhesive	2" x 1"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-21002	Solid Wall Wiring Duct, Non-Adhesive	2" x 1"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-21003	Solid Wall Wiring Duct, Non-Adhesive	2" x 1"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-22017	Solid Wall Wiring Duct, Adhesive	2" x 2"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-22005	Solid Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-22006	Solid Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-22008	Solid Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-22011	Solid Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-22013	Solid Wall Wiring Duct, Non-Adhesive	2" x 2"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00468	Solid Wall Wiring Duct, Non-Adhesive	2" x 3"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-23001	Solid Wall Wiring Duct, Non-Adhesive	2" x 3"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00198	Solid Wall Wiring Duct, Non-Adhesive	2" x 3"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-23002	Solid Wall Wiring Duct, Non-Adhesive	2" x 3"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-24001	Solid Wall Wiring Duct, Non-Adhesive	2" x 4"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-00245	Solid Wall Wiring Duct, Non-Adhesive	2" x 5"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-00249	Solid Wall Wiring Duct, Non-Adhesive	2" x 5"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	

2.5 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00223	Solid Wall Wiring Duct, Adhesive	2.5" x 3"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-00227	Solid Wall Wiring Duct, Adhesive	2.5" x 3"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-00220	Solid Wall Wiring Duct, Non-Adhesive	2.5" x 3"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00224	Solid Wall Wiring Duct, Non-Adhesive	2.5" x 3"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00225	Solid Wall Wiring Duct, Non-Adhesive	2.5" x 3"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
3 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00470	Solid Wall Wiring Duct, Non-Adhesive	3" x 1"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-31001	Solid Wall Wiring Duct, Non-Adhesive	3" x 1"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-32002	Solid Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-32003	Solid Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00471	Solid Wall Wiring Duct, Non-Adhesive	3" x 2"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-33000	Solid Wall Wiring Duct, Non-Adhesive	3" x 3"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-33002	Solid Wall Wiring Duct, Non-Adhesive	3" x 3"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-33004	Solid Wall Wiring Duct, Non-Adhesive	3" x 3"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-33005	Solid Wall Wiring Duct, Non-Adhesive	3" x 3"	PVC, White	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-33006	Solid Wall Wiring Duct, Non-Adhesive	3" x 3"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-34000	Solid Wall Wiring Duct, Non-Adhesive	3" x 4"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-34001	Solid Wall Wiring Duct, Non-Adhesive	3" x 4"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	

3 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00474	Solid Wall Wiring Duct, Non-Adhesive	3" X 5"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-00475	Solid Wall Wiring Duct, Non-Adhesive	3" x 5"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
4 in Solid Wall Wiring Duct									
Part #	Descriptions	Size Duct	Material, Color	Qty.	Length (Imperial)	UV Resistant	Operating Temp.	Reach Compliant	Certs. & Specifications
HT-181-00476	Solid Wall Wiring Duct, Non-Adhesive	4" x 2"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL
HT-181-42002	Solid Wall Wiring Duct, Non-Adhesive	4" x 2"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-42004	Solid Wall Wiring Duct, Non-Adhesive	4" x 2"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00185	Solid Wall Wiring Duct, Non-Adhesive	4" x 2"	PVC, Gray	30ft/Box	6.0	No	+122°F (+50°C)	No	
HT-181-00519	Solid Wall Wiring Duct, Adhesive	4" X 3"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-43001	Solid Wall Wiring Duct, Non-Adhesive	4" x 3"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-43002	Solid Wall Wiring Duct, Non-Adhesive	4" x 3"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-00521	Solid Wall Wiring Duct, Adhesive	4" x 4"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-44006	Solid Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, Black	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-44009	Solid Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, Gray	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-44015	Solid Wall Wiring Duct, Non-Adhesive	4" x 4"	PVC, White	120ft/ Carton	6.0	No	+122°F (+50°C)	No	
HT-181-45001	Solid Wall Wiring Duct, Non-Adhesive	4" x 5"	PVC, White	60ft/Car-ton	6.0	No	+122°F (+50°C)	No	