

PRODUCT SPECIFICATION SHEET

Product Name: HellermannTyton® Thermal Transfer Labels

Part #	Description	Dimensions	Material, Color, Qty.	Halogen Free	UV Resistant	Operating Temp.	Adhesive	Adhesive Temp.	Reach Compliant
HT-TAG26T6-100B	Thermal Transfer Labels, Self-Laminating	0.5" x .38" x .75", 6 Across	VL, White, 10,000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG2T5-100B	Thermal Transfer Labels, Self-Laminating	0.5" x .5" x 1.43", 5 Across	VL, White, 10,000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG51T3-100B	Thermal Transfer Labels, Self-Laminating	1.0" x .35" x .75", 3 Across	VL, White, 10,000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-596-00626	Thermal Transfer Labels, Self-Laminating	1.0" x .5" x 1.43", 1 Across	VL, White, 1000/roll	No	No	-40°F to +194°F (-40°C to +90°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes
HT-TAG22T2-100B	Thermal Transfer Labels, Self-Laminating	1.0" x .5" x 1.43", 2 Across	VL, White, 5000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG22T3-100B	Thermal Transfer Labels, Self-Laminating	1.0" x .5" x 1.43", 3 Across	VL, White, 5000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG9T3-100B	Thermal Transfer Labels, Self-Laminating	1.0" x .75" x 2.25", 3 Across	VL, White, 5000/roll	No	Yes	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-596-00631	Thermal Transfer Labels, Self-Laminating	1.0" x 1.0" x 3.75", 1 Across	VL, White, 1000/roll	No	No	-40°F to +194°F (-40°C to +90°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes
HT-TAG3T3-100B	Thermal Transfer Labels, Self-Laminating	1.0" x 1.0" x 3.75", 3 Across	VL, White, 3000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG38T4-100B	Thermal Transfer Labels, Self-Laminating	1.0" x 1.5" x 7.37", 4 Across	VL, White, 1000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG53T2-100B	Thermal Transfer Labels, Self-Laminating	1.5" x .7" x 1.437", 2 Across	VL, White, 2500/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG1T1-100B	Thermal Transfer Labels, Self-Laminating	1.9" x .75" x 3.12", 2 Across	VL, White, 2500/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG10T2-100B	Thermal Transfer Labels, Self-Laminating	2.0" x .75" x 2.25", 2 Across	VL, White, 2500/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG24T1-100B	Thermal Transfer Labels, Self-Laminating	2.0" x .5" x 1.43", 1 Across	VL, White, 1000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG6T1-100B	Thermal Transfer Labels, Self-Laminating	2.0" x 1.0" x 3.75", 1 Across	VL, White, 1000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes
HT-TAG7T1-100B	Thermal Transfer Labels, Self-Laminating	2.0" x 1.5" x 7.37", 2 Across	VL, White, 1000/roll	No	No	-40°F to +205°C (-40 °C to +96 °C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes

Part #	Description	Dimensions	Material, Color, Qty.	Halogen Free	UV Resistant	Operating Temp.	Adhesive	Adhesive Temp.	Reach Compliant
HT-596-73833	Thermal Transfer Labels, High-Bond Adhesive	2.0" x 1.0"	Polyester, White, 3000/roll	No	No	-40°F to +300°F (-40°C to +149°C)	High Bond Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-596-73834	Thermal Transfer Labels, High-Bond Adhesive	3.0" x 1.0"	Polyester, White, 3000/roll	No	No	-40°F to +300°F (-40°C to +149°C)	High Bond Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-596-73835	Thermal Transfer Labels, High-Bond Adhesive	4.0" x 3.0"	Polyester, White, 1000/roll	No	No	-40°F to +300°F (-40°C to +149°C)	High Bond Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG70T12-822	Thermal Transfer Labels	0.25" x .25", 12 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG81T8-822	Thermal Transfer Labels	0.325" x .2", 8 Across	Polyester, White, 5000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes
HT-TAG71T5-822	Thermal Transfer Labels	0.5" x .43", 5 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-596-21251	Thermal Transfer Labels	0.5" x .75", 6 Across	Polyethylene, White, 10,000/roll	No	No	-40°F to +176°F (-40°C to +80°C)	Acrylic	-40°F to +248°F (-40°C to +120°C)	Yes
HT-TAG21T6-250	Thermal Transfer Labels	0.5" x .75", 6 Across	Cloth, White, 10,000/roll	No	No	-40°F to +248°F (-40°C to +120°C)	Acrylic	-40°F to +176°F (-40°C to +80°C)	Yes
HT-TAGPP1T6-822	Thermal Transfer Labels	0.63" x .31", 6 Across	Polyester, White, 1000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes
HT-TAGPP1T6-822C	Thermal Transfer Labels	0.63" x .31", 6 Across	Polyester, Clear, 1000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes
HT-TAGPP1T6-82210M	Thermal Transfer Labels	0.63" x .334", 6 Across	Polyester, White, 1000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG11T4-250	Thermal Transfer Labels	0.65" x .2", 4 Across	Cloth, White, 5000/roll	No	No	-40°F to +248°F (-40°C to +120°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG11T4-822	Thermal Transfer Labels	0.65" x .2", 4 Across	Polyester, White, 5000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG11T4-822C	Thermal Transfer Labels	0.65" x .2", 4 Across	Polyester, Clear, 5000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-51°F to +200°F (-46°C to +93°C)	Yes

Part #	Description	Dimensions	Material, Color, Qty.	Halogen Free	UV Resistant	Operating Temp.	Adhesive	Adhesive Temp.	Reach Compliant
HT-TAG13T4-822	Thermal Transfer Labels	0.75" x .25", 4 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +248°F (-40°C to +120°C)	Yes
HT-596-28251	Thermal Transfer Labels	0.8" x 1.43", 4 Across	Polyethylene, White, 5000/roll	No	No	-40°F to +176°F (-40°C to +80°C)	Acrylic	-40°F to +248°F (-40°C to +120°C)	Yes
HT-TAG28T4-250	Thermal Transfer Labels	0.8" x 1.43", 4 Across	Cloth, White, 5000/roll	No	No	-40°F to +248°F (-40°C to +120°C)	Acrylic	-40°F to +248°F (-40°C to +120°C)	Yes
HT-TAG16T3-822	Thermal Transfer Labels	0.90" x .25", 3 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-596-73830	Thermal Transfer Labels	2.75" x 1.25", 1 Across	Polyester, White, 3000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-	Yes
HT-TAG15T3-250	Thermal Transfer Labels	1.0" x .5", 3 Across	Cloth, White, 10,000/roll	No	No	-40°F to +248°F (-40°C to +120°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG16T3-822	Thermal Transfer Labels	0.90" x .25", 3 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-596-73830	Thermal Transfer Labels	2.75" x 1.25", 1 Across	Polyester, White, 3000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-	Yes
HT-TAG15T3-250	Thermal Transfer Labels	1.0" x .5", 3 Across	Cloth, White, 10,000/roll	No	No	-40°F to +248°F (-40°C to +120°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG15T3-795	Thermal Transfer Labels	1.0" x .5", 3 Across	Polyester, Silver, 10,000/roll	No	No	-67°F to +302°F (-55°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG15T3-822	Thermal Transfer Labels	1.0" x .5", 3 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG84T3-822	Thermal Transfer Labels	1.25" x .38", 3 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +176°F (-40°C to +80°C)	Yes
HT-TAG82T2-822	Thermal Transfer Labels	1.5" x .25", 2 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes

Part #	Description	Dimensions	Material, Color, Qty.	Halogen Free	UV Resistant	Operating Temp.	Adhesive	Adhesive Temp.	Reach Compliant
HT-TAG27T1-795	Thermal Transfer Labels	1.5" x .75", 1 Across	Polyester, Silver, 3000/roll	No	No	-67°F to +302°F (-55°C to +150°C)	Acrylic	-40°F to +248°F (-40°C to +120°C)	Yes
HT-TAG27T1-822	Thermal Transfer Labels	1.5" x .75", 1 Across	Polyester, White, 3000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG96T1-336	Thermal Transfer Labels	1.875" x .25", 1 Across	Polyester, White, 5000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes
HT-TAG35T2-250	Thermal Transfer Labels	2.0" x .38", 2 Across	Cloth, White, 10,000/roll	No	No	-40°F to +248°F (-40°C to +120°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG68T1-336	Thermal Transfer Labels	3.8" x .275", 1 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG69T1-336	Thermal Transfer Labels	2.0" x .275", 1 Across	Polyester, White, 10,000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG72T1-795	Thermal Transfer Labels	2.75" x 1.25", 1 Across	Polyester, Silver, 3000/roll	No	No	-40°F to +300°F (-40°C to +149°C)	Acrylic	-100°F to +352°F (-73°C to +178°C)	Yes
HT-TAG72T1-822	Thermal Transfer Labels	2.75" x 1.25", 1 Across	Polyester, White, 3000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-100°F to +352°F (-73°C to +178°C)	Yes
HT-TAG73T1-795	Thermal Transfer Labels	2.0" x 1.0", 1 Across	Polyester, Silver, 3000/roll	No	No	-67°F to +302°F (-55°C to +150°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG73T1-822	Thermal Transfer Labels	2.0" x 1.0", 1 Across	Polyester, White, 3000/roll	No	No	-40°F to +248°F (-40°C to +120°C)	Acrylic	-40°F to +248°F (-40°C to +120°C)	Yes
HT-TAG75T1-795	Thermal Transfer Labels	2.0" x .63", 1 Across	Polyester, Silver, 2000/roll	No	No	-40°F to +300°F (-40°C to +149°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes
HT-TAG75T1-822	Thermal Transfer Labels	2.0" x .63", 1 Across	Polyester, White, 2000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +176°F (-40°C to +80°C)	Yes
HT-TAG76T1-795	Thermal Transfer Labels	2.5" x 2.0", 1 Across	Polyester, Silver, 1000/roll	No	No	-40°F to +300°F (-40°C to +149°C)	Acrylic	-40°F to +300°F (-40°C to +149°C)	Yes
HT-TAG77T1-101	Thermal Transfer Labels	3.0" x .937", 1 Across	Paper, White, 2000/roll	No	No	-65°F to +200°F (-54°C to +93°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes

Part #	Description	Dimensions	Material, Color, Qty.	Halogen Free	UV Resistant	Operating Temp.	Adhesive	Adhesive Temp.	Reach Compliant
HT-TAG78T1-795	Thermal Transfer Labels	3.0" x 4.0", 1 Across	Polyester, Silver, 500/roll	No	No	-40°F to +300°F (-40°C to +149°C)	Acrylic	-40°F to +300°F (-40°C to +149°C)	Yes
HT-TAG80T1-795	Thermal Transfer Labels	3.0" x 5.0", 1 Across	Polyester, Silver, 500/roll	No	No	-40°F to +300°F (-40°C to +149°C)	Acrylic	-40°F to +248°F (-40°C to +120°C)	Yes
HT-TAG79T1-795	Thermal Transfer Labels	4.0" x 2.0", 1 Across	Polyester, Silver, 500/roll	No	No	-40°F to +300°F (-40°C to +149°C)	Acrylic	-40°F to +302°F (-40°C to +150°C)	Yes
HT-TAG83T1-822	Thermal Transfer Labels	4.0" x .312", 1 Across	Polyester, White, 5000/roll	No	No	-40°F to +302°F (-40°C to +150°C)	Acrylic	-40°F to +194°F (-40°C to +90°C)	Yes