


CABLES CATALOGUE





ADAM HALL CABLES WHAT DO WE STAND FOR?

The veins in your body are absolutely essential for life. They serve as the conduit for oxygen, transporting it from the lungs to all parts of your system, much like how cables facilitate the transmission of signals in event technology.

Cables – acting as the crucial link between all devices – are indispensable for ensuring the seamless operation of shows, fairs, and installations. Whether it's the connection from your guitar to the amplifier, your mixing console to the sound system, or your lighting controller to the lamp, cables are undeniably the unsung heroes of any event.

Adam Hall Cables® is on a mission that goes beyond connecting devices; it's about fostering connections between people.

We offer an extensive range of cables, cable drums, power strips, and accessories designed for various applications. Our product range is thoughtfully structured, offering a wide spectrum of quality levels, making it easy for you to find your perfect cable quickly.

Navigating through the jungle of cables can be challenging. We provide straightforward and effective solutions to simplify the process for you. For example, we have introduced the Adam Hall Cable Explorer on our website. Simply select your desired connectors and embark on a journey through the world of cables!





www.**adamhall**.com/ shop/kabel-stecker/ cable-explorer

Our commitment to connecting people extends to providing you with invaluable strategies. Another user-friendly tool we offer to help you select the right cable is our STAR SERIES system. With its familiar and intuitive designed structure, it offers an instant overview of the quality levels associated with different products.







CONTENT

PAGE 06	MICROPHONE CABLES
PAGE 10	DMX, AES/EBU CABLES
PAGE 14	INSTRUMENT CABLES
PAGE 19	PEDALBOARD CABLES
PAGE 23	LOUDSPEAKER CABLES
PAGE 27	POWER & HYBRID/ NETWORK & HDMI CABLES
PAGE 35	POWER STRIPS
PAGE 39	MULTICORE STAGEBOXES & LOOM CABLES
PAGE 41	BULK CABLES
PAGE 47	CONNECTORS & ADAPTERS
PAGE 51	CABLE DRUMS
PAGE 54	CABLE MANAGEMENT SOLUTIONS
DAGE 57	INSTALL CARLES

PRE-ASSEMBLED CABLES LET'S GET SERIES!

We offer various solutions for you, so you have the right ready-made-cable on hand. This is true whether you are looking for an instrument cable, a microphone cable, or a hybrid cable for simultaneous transmission of DMX signals and power. For professional event technology setups to the beginner in the home studio, you will find the pre-assembled cable that best suits your needs here.

5 STAR

Our top tier series offers products featuring original Neutrik® connectors and is proudly made in the EU. Neutrik is the global leader in connector manufacturing for the event industry, offering unwavering commitment to the highest quality standards and continuous innovation. The majority of our superior quality cables boast a larger conductor cross-section for enhanced signal transmission and improved impedance and capacitance values. They also come equipped with a braided shielding (where necessary) ensuring an extreme reduction in magnetic interference.



- > Made in the EU
- > Original Neutrik® connectors
- > Superior quality product
- > With high conductor cross-sections made of oxygen-free copper
- > Superior quality impedance & capacitance values

4 STAR

If you are seeking cables of premium quality, our "standard" option, known as the 4 STAR SERIES, is your go-to choice. Typically assembled with either REAN® connectors, a brand of the Neutrik group, or premium-quality Adam Hall Connectors®, you can expect a top solution with exceptional durability and high-class signal transmission standards. The 4 STAR SERIES typically offers the most extensive and comprehensive range of options to meet your needs.



- $\,>\,$ REAN® connectors (a brand of the Neutrik® group), or premium quality Adam Hall Connectors®
- > Premium quality cables
- > High variety of different lengths or colours
- > Best transmission quality

3 STAR

You can rely on the high-quality standards of all our products. For our 3 STAR SERIES, we ensure the inclusion of oxygen-free copper conductors, guaranteeing a minimum purity level of 99.999% copper. Our commitment extends to robust and reliable jacket materials, excellent flexibility, and top-notch spiral shielding, ensuring reliable performance and durability.



- > High quality Adam Hall Connectors®
- > OFC cables (oxygen free copper)
- > Strong and reliable jacket
- Spiral shielding
- > High transmission demands

MICROPHONE CABLES









5 STAR MMF

MICROPHONE CABLE NEUTRIK® XLR FEMALE TO XLR MALE

- Made in FI
- > Assembled with original Neutrik® connectors
- NC3FXX-BAG to NC3MXX-BAG silver-plated contacts
- > Highly flexible & very robust
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS			
K5MMF0100	K5MMF0500	K5MMF1500	K5MMF0500X
K5MMF0150	K5MMF0750	K5MMF2000	K5MMF1000X
K5MMF0300	K5MMF1000	K5MMF0300X	





4 STAR MMF

MICROPHONE CABLE REAN® XLR FEMALE TO XLR MALE

- > Original Rean® connectors (a brand of the Neutrik Group)
- > RC3F to RC3M silver-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS				
K4MMF0050	K4MMF0250	K4MMF1000	K4MMF3000	
K4MMF0100	K4MMF0500	K4MMF1500		
K4MMF0150	K4MMF0750	K4MMF2000		





3 STAR MMF

MICROPHONE CABLE XLR FEMALE TO XLR MALE

- > Original 4 STAR SERIES Adam Hall connectors
- > K4CXF3 to K4CXM3 silver-plated contacts
- > Robust & strong PVC jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS				
K3MMF0050	K3MMF0300	K3MMF1000	K3MMF2000	
K3MMF0100	K3MMF0600	K3MMF1500	K3MMF3000	







5 STAR MFP

MICROPHONE CABLE NEUTRIK® XLR FEMALE TO JACK TS

- > Made in EU
- > Assembled with original Neutrik® connectors
- > NC3FXX to NP2X nickel-plated contacts
- > Highly flexible & very robust
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K5MFP0300 K5MFP0500 K5MFP1000





4 STAR MFP

MICROPHONE CABLE REAN® XLR FEMALE TO JACK TS

- > Original Rean® connectors (a brand of the Neutrik Group)
- > RC3F to RP2C silver-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

 K4MFP0150
 K4MFP0500
 K4MFP1000

 K4MFP0300
 K4MFP0600





3 STAR MFP

MICROPHONE CABLE XLR FEMALE TO XLR MALE

- > Original 4 STAR SERIES Adam Hall connectors
- > K4CXF3 to K4CJM2
- Robust & strong PVC jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3MFP0100 K3MFP0300 K3MFP0600 K3MFP1000







MICROPHONE CABLE NEUTRIK® XLR FEMALE TO REAN® MINIJACK

- Made in FU
- > Assembled with original Neutrik® connectors
- > NC3FXX to NYS231 nickel-plated contacts
- > Highly flexible & very robust
- Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS



4 STAR MMF SNOW MICROPHONE CABLE XLR FEMALE TO XLR MALE

K5MYF0300

- > Original 4 STAR SERIES Adam Hall connectors
- > K4CXF3SNOW to K4CXM3SNOW
- > Robust & strong PVC jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4MMF0100-SNOW K4MMF0500-SNOW K4MMF1500-SNOW K4MMF0250-SNOW K4MMF1000-SNOW



4 STAR MMF KRYSTAL

MICROPHONE CABLE KRYSTAL EDITION YONGSHENG ® XLR FEMALE TO XLR MALE

- > Original Yongsheng® connectors
- > Highly flexible & robust
- With a conductor cross-section of 0.22 mm² made of OCC, with particularly high purity and linear crystal structure of the copper.
- > Premium impedance & capacitance values

AVAILABLE	AS FOLLO	WING VFR	SIONS

K4KMMF0050 K4KMMF0150 K4KMMF0500 K4KMMF1000 K4KMMF2000 K4KMMF0100 K4KMMF0250 K4KMMF0750 K4KMMF1500



3 STAR MMF SET

MICROPHONE CABLE SET OF 6 DIFFERENT COLOURED XLR FEMALE TO XLR MALE

- > Original 4 STAR SERIES Adam Hall connectors
- > K4CXF3 to K4CXM3 silver-plated contacts
- > Robust & strong PVC jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS				
K3MMF0050SET	K3MMF0050YE	K3MMF0100SET	K3MMF0100YE	
K3MMF0050BL	K3MMF0050PU	K3MMF0100BL	K3MMF0100PU	
K3MMF0050GR	K3MMF0050RD	K3MMF0100GR	K3MMF0100RD	









5 STAR DMF

DMX CABLE NEUTRIK® 3-POLE XLR FEMALE X 3-POLE XLR MALE

- > Made in EU
- > Assembled with original Neutrik® connectors
- > NC3FXX-BAG to NC3MXX-BAG silver-plated contacts
- > Highly flexible & very robust
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS				
K5DMF0100	K5DMF0500	K5DMF1500	K5DMF0500X	
K5DMF0150	K5DMF0750	K5DMF2000	K5DMF1000X	
K5DMF0300	K5DMF1000	K5DMF0300X		





4 STAR DMF

DMX CABLE REAN® 3-POLE XLR FEMALE TO 3-POLE XLR MALE

- > Original Rean® connectors (a brand of the Neutrik Group)
- > RC3F to RC3M silver-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS				
K4DMF0050	K4DMF0300	K4DMF1000		
K4DMF0100	K4DMF0500	K4DMF 2000		





3 STAR DMF

DMX CABLE 3-POLE XLR FEMALE TO 3-POLE XLR MALE

- › Original 4 STAR SERIES Adam Hall connectors
- > K4CXF3BLK to K4CXM3BLK silver-plated contacts
- Robust & strong PVC jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS				
K3DMF0050	K3DMF0300	K3DMF1000	K3DMF2000	
K3DMF0150	K3DMF0600	K3DMF1500	K3DMF3000	







5 STAR DGH

DMX, AES/EBU CABLE NEUTRIK® 5-POLE FEMALE TO 5-POLE MALE

- > Made in EU
- > Assembled with original Neutrik® connectors
- > NC5FXX-BAG to NC5MXX-BAG silver-plated contacts
- > Highly flexible & very robust
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS			
K5DGH0100	K5DGH0500	K5DGH1500	K5DGH0300X
K5DGH0150	K5DGH0750	K5DGH2000	K5DGH0500X
K5DGH0300	K5DGH1000		K5DGH1000X





4 STAR DGH DMX, AES/EBU CABLE REAN® 5-POLE FEMALE TO 5-POLE MALE

- > Original Rean® connectors (a brand of the Neutrik Group)
- > RC5F to RC5M nickel-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS				
K4DGH0050	K4DGH0300	K4DGH1000	K4DGH2000	
K4DGH0150	K4DGH0500	K4DGH1500		





3 STAR DGH

DMX, AES/EBU CABLE 5-POLE FEMALE TO 5-POLE MALE

- > Original 4 STAR SERIES Adam Hall connectors
- > K4CXF5BLK to K4CXM5BLK silver-plated contacts
- > Robust & strong PVC jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS			
K3DGH0050	K3DGH0300	K3DGH1000	K3DGH2000
K3DGH0150	K3DGH0600	K3DGH1500	K3DGH3000







DMX CABLE 3-POLE IP65 XLR FEMALE X 3-POLE IP65 XLR MALE

- > Original Rean® connectors (a brand of the Neutrik Group)
- > IP65 connectors with silver-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4DMF0150IP65 K4DMF0500IP65 K4DMF2000IP65 K4DMF0300IP65 K4DMF1000IP65





4 STAR DGH IP65 DMX CABLE 5-POLE IP65 XLR FEMALE X 5-POLE IP65 XLR MALE

- > Original Rean® connectors (a brand of the Neutrik Group)
- > IP65 connectors with silver-plated contacts
- > Highly flexible & robust
- With a conductor cross-section of 0.22 mm² made of oxygen free copper
- Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4DGH0150IP65 K4DGH0600IP65 K4DGH2000IP65 K4DGH0300IP65 K4DGH1000IP65





4 STAR DHM IP65 & 4 STAR DGF IP65 DMX, AES/EBU CABLE 3-POLE FEMALE TO 5-POLE MALE IP65 & DMX,

AES/EBU CABLE 5-POLE FEMALE TO 3-POLE MALE IP65

- > Original Rean® connectors (a brand of the Neutrik Group)
- > IP65 connectors with gold-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4DHM0020IP65 K4DGF0020IP65





3 STAR DHM & 3 STAR DGF DMX, AES/EBU CABLE 3-POLE FEMALE TO 5-POLE MALE & DMX,

AES/EBU CABLE 5-POLE FEMALE TO 3-POLE MALE

- > Original 4 STAR SERIES Adam Hall connectors
- > 4 STAR SERIES connectors with nickel-plated contacts
- > Robust & strong PVC jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3DHM0020 K3DGF0020









5 STAR IPP

INSTRUMENT CABLE BY PALMER® WITH ORIGINAL NEUTRIK® JACK TS

- > Made in EU
- > Cable engineered in Germany by our Palmer® crew
- > Assembled with original Neutrik® connectors with gold-plated contacts
- > Large conductor cross-section of 0.50 mm²
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K5IPP0150 K5IPP0450 K5IPP0900 K5IPP0300 K5IPP0600







4 STAR IPP

INSTRUMENT CABLE REAN® JACK TS

- > Original Rean® connectors (a brand of the Neutrik Group)
- > Black jack connectors with nickel-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4IPP0060 K4IPP0150 K4IPP0450 K4IPP0900
K4IPP0090 K4IPP0300 K4IPP0600





3 STAR IPP

INSTRUMENT CABLE JACK TS

- > Original 4 STAR SERIES Adam Hall connectors
- > K4CJM2BLK gold-plated contacts
- > Robust & strong PVC jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3IPP0300 K3IPP0600 K3IPP0900







5 STAR IPR

INSTRUMENT CABLE BY PALMER® WITH ORIGINAL NEUTRIK® ANGLED JACK TS

- > Made in EU
- > Cable engineered in Germany by our Palmer® crew
- > Assembled with original Neutrik® connectors with gold-plated contacts
- > Large conductor cross-section of 0.50 mm²
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K5IPR0150 K5IPR0450 K5IPR0900 K5IPR0300 K5IPR0600







4 STAR IPR

INSTRUMENT CABLE REAN® ANGLED JACK TS

- > Original Rean® connectors (a brand of the Neutrik Group)
- > Black jack connectors with silver-plated contacts
- > Highly flexible & robust
- With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

 K4IPR0030
 K4IPR0090
 K4IPR0300
 K4IPR0600

 K4IPR0060
 K4IPR0150
 K4IPR0450
 K4IPR0900





3 STAR IPR

INSTRUMENT CABLE ANGLED JACK TS TO JACK TS

- > Original 4 STAR SERIES Adam Hall connectors
- > Gold-plated contacts
- > Robust & strong PVC jacket
- With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3IPR0300 K3IPR0600 K3IPR0900







5 STAR IPP SILENT

INSTRUMENT CABLE BY PALMER® WITH ORIGINAL NEUTRIK SILENTPLUG® JACK TS

- > Made in EU
- > Cable engineered in Germany by our Palmer® crew
- > Assembled with original Neutrik® connectors with gold-plated contacts
- > Large conductor cross-section of 0.50 mm²
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

KEIPPOROOSII EN

K5IPP0600SILENT

K5IPP0900SILENT







5 STAR IPR SILENT

INSTRUMENT CABLE REAN® IACK TS

- > Made in EU
- > Black jack connectors with silver-plated contacts
- > Assembled with original Neutrik® connectors with gold-plated contacts
- > Large conductor cross-section of 0.50 mm²
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K5IPR0300SILENT

K5IPR0600SILENT

K5IPR0900SILENT







5 STAR IPR TIMBRE

INSTRUMENT CABLE JACK TS

- > Made in EU
- > Black jack connectors with silver-plated contacts
- > Assembled with original Neutrik® connectors with gold-plated contacts
- > Large conductor cross-section of 0.50 mm²
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K5IPR0300TIMBRE

K5IPR0600TIMBRE

K5IPR0900TIMBRE









5 STAR IPP VINTAGE INSTRUMENT CABLE VINTAGE NEUTRIK® JACK TS

- > Made in EU
- Cable with braided nylon jacket
- Assembled with original Neutrik® connectors
- Tweed look
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K5IPP0300VINTAGE

K5IPP0450VINTAGE

K5IPP0600VINTAGE





5 STAR IRP VINTAGEINSTRUMENT CABLE VINTAGE NEUTRIK® ANGLED JACK TS

- Made in EU
- > Cable with braided nylon jacket
- > Assembled with original Neutrik® connectors
- Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K5IRP0300VINTAGE K5IRP0450VINTAGE

K5IRP0600VINTAGE





4 STAR IRR VINTAGE

INSTRUMENT CABLE VINTAGE ANGLED JACK TS

- > Flat angled connectors by Adam Hall
- > Cable with braided nylon jacket
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4IRR0015VINTAGE

K4IRR0060VINTAGE

K4IRR0030VINTAGE

K4IRR0100VINTAGE





3 STAR IPP VINTAGE

INSTRUMENT CABLE VINTAGE JACK TS

- > Original 4 STAR SERIES Adam Hall connectors
- Gold-plated contacts
- > Cable with braided nylon jacket
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3IPP0300VINTAGE K3IPP0600VINTAGE K3IPP0900VINTAGE









4 STAR IRR SET

PATCH CABLE SET OF 5 DIFFERENT COLOURS ANGLED IACK TS

- > Professional pedal board patch cable
- > Silver-plated contacts
- > Superior quality 6.3 mm Jack TS and bend protectional heat shrink
- > With a conductor cross-section of 0.50 mm² made of oxygen free copper
- > Colored braided nylon jacket

AVAILABLE AS FOLLOWING VERSIONS

K4IRR0030SET

K4IRR0060SET

K4IRR0090SET





4 STAR IRR NEO SET PATCH CABLE SET OF 4 DIFFERENT COLOURS ANGLED JACK TS

- > Professional pedal board patch cable
- > Silver-plated contacts
- > Superior quality 6.3 mm Jack TS and bend protectional heat shrink
- > With a conductor cross-section of 0.50 mm² made of oxygen free copper
- > Neon colored braided nylon jacket

AVAILABLE AS FOLLOWING VERSIONS

K4IRR0030NEOSET K4IRR0060NEOSET K4IRR0090NEOSET

K4IRR0060FLM





4 STAR IRR FLM

PEDALBOARD PATCH CABLE ANGLED JACK TS

- > Super flat angled Jack connectors
- Perfect for fixes installation on a pedalboard f.e.
- > Very flat and high flexible cable
- > Gold-plated contacts
- > With a conductor cross-section of 0.16 mm² made of oxygen free copper

AVAILABLE AS FOLLOWING VERSIONS

K4IRR0010FLM

K4IRR0030FLM

K4IRR0015FLM K4IRR0045FLM







4 STAR IRR VINTAGE INSTRUMENT CABLE VINTAGE ANGLED JACK TS

- > Flat angled connectors by Adam Hall
- Cable with braided nylon jacket
- Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4IRR0015VINTAGE

K4IRR0030VINTAGE

K4IRR0060VINTAGE

K4IRR0100VINTAGE





4 STAR IRR

PEDALBOARD PATCH CABLE REAN® ANGLED JACK TS

- > Original Rean® connectors (a brand of the Neutrik Group)
- > Black jack connectors with silver-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4IRR0060

K4IRR0090

K4IRR0150





4 STAR IPR

INSTRUMENT CABLE REAN® ANGLED JACK TS

- > Original Rean® connectors (a brand of the Neutrik Group)
- > Black jack connectors with nickel-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4IPR0060

K4IPR0090







3 STAR IPP SET PATCH CABLE SET OF 6 DIFFERENT COLOURS JACK TS

- > Different coloured patch cables
- Nickel-Silver plated contacts
- Very flexible and therefore optimum choice for pedalboards or rack
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > The classic patch cable in 6 different colours

AVAILABLE AS FOLLOWING VERSIONS

K3IPP0015SET K3IPP0060SET K3IPP0120SET K3IPP0030SET K3IPP0090SET





- > Different coloured patch cables
- > Nickel-Silver plated contacts
- > Very flexible and therefore optimum choice for pedalboards or rack
- With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > The classic patch cable in 6 different colours



AVAILABLE AS FOLLOWING VERSIONS

K3IRR0015SET K3IRR0060SET K3IRR0120SET K3IRR0030SET K3IRR0090SET



3 STAR IRR

PEDALBOARD PATCH CABLE ANGLED JACK TS

- > Original Adam Hall Connectors
- > Black jack connectors with gold-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values



AVAILABLE AS FOLLOWING VERSIONS

K3IRR0030 K3IRR0060





3 STAR BWMIDI

TRS/MIDI CABLE (TYPE A) MINIJACK TRS TO MIDI 5-POLE

- > Original Adam Hall Connectors
- > 3.5 mm Minijack TRS to MIDI male
- > For connecting MIDI devices with Minijack to traditional 5-pole MIDI
- > TIP=5 | Ring=4 | Sleeve=2
- In different lengths and also with 6.3 mm Jack available

AVAILABLE AS FOLLOWING VERSIONS

K3BWMIDI0060 K3BWIMID0150 K3BVMIDI0060 K3BVMIDI0150 K3BWMIDI0090 K3BWMIDI0300 K3BVMIDI0090 K3BVMIDI0300

LOUDSPEAKER CABLES









5 STAR S 425SPEAKER CABLE NEUTRIK SPEAKON® 4-POLE 4 × 2.5 MM²

- > Made in EU
- > 4-pole original Neutrik speakON® connectors
- > 4 × 2.5 mm² conductor cross-section
- > Super flexible cable with soft-PVC jacket
- > Very fine OFC wires

AVAILABLE AS FOLLOWING VERSIONS

K5S425SS0040 K5S425SS1000 K5S425SS2000 K5S425SS0300 K5S425SS1500





4 STAR S 225 SPEAKER CABLE 4-POLE 2 × 2.5 MM²

- > Premium Adam Hall connectors
- > K4CSF4
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS F	OLLOWING VERSI	ONS
K4S225SS0100	K4S225SS1500	K4S225PP0300
K4S225SS0500	K4S225SS2000	K4S225PP0500
K4S225SS1000	K4S225PP0100	K4S225PP1000





3 STAR S 215 SPEAKER CABLE 4-POLE 2 × 1.5 MM²

- > Original Adam Hall connectors
- > K3CSF4
- > Highly flexible
- > With a conductor cross-section of 2 × 1.5 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3S215SS0200	K3S215SS1000	K3S215PP0300	K3S215PP1000
K3S215SS0500	K3S215PP0150	K3S215PP0500	







- Assembled with original Neutrik® connectors
- > NP3X to NP3X
- > Highly flexible & very robust
- > Superior quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K5BVV0300

K5BVV1000

K5BVV0500





BALANCED CABLE REAN® JACK TRS

- > Original Rean® connectors (a brand of the Neutrik Group)
- > Jack connectors with nickel-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4BVV0060 K4BVV0150 K4BVV0600 K4BVV0090 K4BVV0300 K4BVV0900



3 STAR BVV

BALANCED CABLE JACK TRS

- > Original Adam Hall Connectors
- > Jack connectors with gold-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values



AVAILABLE AS FOLLOWING VERSIONS

K3BVV0060 K3BVV0150 K3BVV0600 K3BVV0090 K3BVV0300 K3BVV0900





3 STAR BWW BALANCED CABLE MINIJACK TRS

- > Original Adam Hall Connectors
- > Minijack connectors
- > Highly flexible & robust
- With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3BWW0060 K3BWW0150 K3BWW0600

K3BWW0090 K3BWW0300







4 STAR YWPP Y-CABLE REAN® 2 × JACK TS TO MINIJACK TRS

- > Original Rean® connectors (a brand of the Neutrik Group)
- > Connectors with silver-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4YWPP0090 K4YWPP0150 K4YWPP0300 K4YWPP0600





3 STAR YFMM Y-CABLE 2 × XLR MALE TO XLR FEMALE

- > Original Adam Hall Connectors
- > With coded XLR plugs
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3YFMM0100 K3YFMM0300 K3YFMM0600





4 STAR TCC TWIN CABLE 2 × RCA TO 2 × RCA

- > Original Rean® connectors (a brand of the Neutrik Group)
- > Connectors with gold-plated contacts
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > Premium impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K4TCC0150 K4TCC0300 K4TCC0600





3 STAR TPP TWIN CABLE 2 × JACK TS TO 2 × JACK TS

- > Original Adam Hall Connectors
- > With coded Jack plugs
- > Highly flexible & robust
- > With a conductor cross-section of 0.22 mm² made of oxygen free copper
- > High quality impedance & capacitance values

AVAILABLE AS FOLLOWING VERSIONS

K3TPP0100 K3TPP0300 K3TPP0600









5 STAR TCON

POWER CABLE NEUTRIK POWERCON TRUE1® x CEE 7/7 WITH TITANEX® LINE

- > With original Neutrik TRUE1®
- > Assembled with superior quality TITANEX® cable
- > H07RN-F rubber cable
- > Very fine OFC wires

AVAILABLE AS FOLLOWING VERSIONS

8101TCON0150 8101TCON0300

8101TCON0500 8101TCON1000





5 STAR TCON L POWER LINK CABLE NEUTRIK TRUE 1® WITH TITANEX® LINE

- > Made in EU
- > With original Neutrik TRUE1®
- > Assembled with superior quality TITANEX® cable
- > H07RN-F rubber cable
- Very fine OFC wires

AVAILABLE AS FOLLOWING VERSIONS

8101TCONL0150 8101TCONL0300 8101TCONL0500 8101TCONL1000





5 STAR PCON
POWER CABLE NEUTRIK POWERCON® TO CEE 7/7 WITH TITANEX® LINE

- > Made in EU
- > With original Neutrik powerCON®
- > Assembled with superior quality TITANEX® cable
- > H07RN-F rubber cable
- > Very fine OFC wires

AVAILABLE AS FOLLOWING VERSIONS

8101PCON0150 8101PCON0300 8101PCON0500



5 STAR PCON L POWER LINK CABLE NEUTRIK POWERCON® WITH TITANEX® LINE

- Made in FU
- > With original Neutrik powerCON®
- > Assembled with superior quality TITANEX® cable
- > H07RN-F rubber cable
- Very fine OFC wires

AVAILABLE AS FOLLOWING VERSIONS

8101PCONL0150 8101PCONL0300 8101PCONL0500 8101PCONL1000







4 STAR TCON POWER CABLE REAN® X-SERIES IP65 x CEE7/7

- > Original Rean® connectors (a brand of the Neutrik Group)
- > X-Series connector made for outdoor usage
- > With durable rubber cable
- > Highly flexible & robust
- > Premium transmission values

AVAILABLE AS FOLLOWING VERSIONS

K4TCON0150 K4TCON0300 K4TCON0500 K4TCON1000





4 STAR TCON L POWER LINK CABLE REAN® X-SERIES TO CEE 7/7

- > Original Rean® connectors (a brand of the Neutrik Group)
- > X-Series connector made for outdoor usage
- > With durable rubber cable
- > Highly flexible & robust
- > Premium transmission values

AVAILABLE AS FOLLOWING VERSIONS

K4TCONL0050 K4TCONL0300 K4TCONL1000 K4TCONL0150 K4TCONL0500





4 STAR PCON L POWER LINK CABLE REAN® G-SERIES

- > Original Rean® connectors (a brand of the Neutrik Group)
- > X-Series connector made for outdoor usage
- > With durable rubber cable
- > Highly flexible & robust
- > Premium transmission values

AVAILABLE AS FOLLOWING VERSIONS

K4PCONL0150 K4PCONL0300 K4PCONL0500 K4PCONL1000





3 STAR PCON L

- > High Quality Adam Hall connectors
- > H07RN-F Power link cable
- > Assembled with blue and white different coded plugs
- > Flexible & robust
- > High quality transmission values

AVAILABLE AS FOLLOWING VERSIONS

8101PCONL0050X 8101PCONL0300X 8101PCONL1000X 8101PCONL0150X 8101PCONL0500X







- > Rubber extension cable for Schuko
- Assembled with IP44 connectors
- > Very robust and flexible
- > H07RN-F cable
- > With protection cap for the female plug

AVAILABLE AS FOLLOWING VERSIONS					
K4PND0300	K4PND1000	K3PND0300	K3PND1000		
K4PND0500	K4PND2000	K3PND0500	K3PND2000		





4 STAR PKD POWER CABLE C13 TO CEE 7/7

- > Conductor cross-section of 3 x 1.5 mm²
- > C13 to Schuko connectors
- > Applicable for every device with cold-device-sockets
- > For power applications with C14 socket
- > Flexible & robust H05VV-F cable

AVAILABLE AS	FOLLOWING VERS	SIONS	
K4PKD0050	K4PKD0300	K3PKD0050	K3PKD0300
K4PKD0100	K4PKD0500	K3PKD0100	K3PKD0500
K4PKD0200	K4PKD1000	K3PKD0200	





3 STAR CD 10 PWR

POWER CABLE DRUM 4-WAY WITH SCHUKO | 10 M

- > Light & small cable drum
- > 10m power cable with Schuko plugs
- > 4 Schuko sockets with overheating protection
- > Ergonomic handle
- > Max load capacity 3.200W (230V)

AVAILABLE AS FOLLOWING VERSIONS

K3CD10PWR





3 STAR CD 50 PWR POWER CABLE DRUM 4-WAY WITH SCHUKO | 50 M

- > Light cable drum
- > 50m power cable with Schuko plugs
- > 4 Schuko sockets with overheating protection
- > Ergonomic handle
- Max load capacity 3.200W (230V)

AVAILABLE AS FOLLOWING VERSIONS

K3CD50PWR K3CD25PWR







5 STAR H TCON 5D HYBRID CABLE POWER & DMX NEUTRIK POWERCON TRUE1-TOP® &

- Made in EU
- > With original Neutrik® connectors
- > Assembled with a premium hybrid cable
- Splice length of 40 cm
- For parallel transmission of power & DMX signals

AVAILABLE AS FOLLOWING VERSI	IONS
------------------------------	------

8101PSDP50150N 8101PSDP50300N 8101PSDP50500N 8101PSDP51000N





5 STAR H TCON 5D IP65 HYBRID CABLE POWER & DMX NEUTRIK POWERCON TRUE1-TOP® &

5-POLE XLR IP65

- > Made in EU
- > With original Neutrik® IP65 connectors
- > Assembled with a premium hybrid cable
- > Splice length of 40 cm
- > For parallel transmission of power & DMX signals

AVAILABLE AS FOLLOWING VERSIONS

8101PSDP50150NIP65 8101PSDP510000NIP65 8101PSDP50300NIP65 8101PSDP50500NIP65





5 STAR H TCON I

HYBRID CABLE POWER & DMX NEUTRIK POWERCON TRUE1-TOP® & 3-POLE XLR

- > Made in EU
- > With original Neutrik® IP65 connectors
- Assembled with a premium hybrid cable
- Splice length of 40 cm
- > For parallel transmission of power & DMX signals

AVAILABLE AS FOLLOWING VERSIONS

8101PSDP0150N 8101PSDP0300N 8101PSDP0500N 8101PSDP1000N







5 STAR H PCON 5D HYBRID CABLE POWER & DMX NEUTRIK POWERCON® & 5-POLE XLR

- > Made in EU
- > With original Neutrik® connectors
- > Assembled with a premium hybrid cable
- Splice length of 40 cm
- > For parallel transmission of power & DMX signals

AVAILAB	LE AS	FOLLO	OWING	VERSIONS
---------	-------	-------	-------	-----------------

8101PSDT50150N 8101PSDP51000N 8101PSDP50300N





5 STAR H PCON D

HYBRID CABLE POWER & DMX NEUTRIK POWERCON® & 3-POLE XLR

- > Made in EU
- > With original Neutrik® IP65 connectors
- > Assembled with a premium hybrid cable
- > Splice length of 40 cm
- > For parallel transmission of power & DMX signals

AVAILABLE AS FOLLOWING VERSIONS

8101PSDP50300NIP65 8101PSDP510000NIP65 8101PSDP50500NIP65





3 STAR H PCON D

HYBRID CABLE POWER & DMX 3-POLE XLR

- > Premium quality Adam Hall connectors
- > Very robust and flexible
- > Assembled with a premium hybrid cable
- > Splice length of 40 cm
- > For parallel transmission of power & DMX signals

AVAILABLE AS FOLLOWING VERSIONS

8101PSDP0150 8101PSDP0300 8101PSDP0500 8101PSDP1000







5 STAR ECON CAT6A NETWORK CABLE CAT.6A (S/FTP) WITH DRAKA® CAT.7 LINE & NEUTRIK® ETHERCON

- With original Neutrik® connectors
- Assembled with a superior Cat.7 cable by Draka®
- > Four seperate shielded twisted pairs
- > Very robust and flexible

AVAILABLE AS FOLLOWING VERSIONS

K5CAT60100 K5CAT60500 K5CAT63000 K5CAT60300 K5CAT61000





5 STAR CAT6A

NETWORK CABLE CAT.6A (S/FTP) WITH DRAKA® CAT.7 LINE & RJ-45

- Made in EU
- > With superior RJ-45 connectors
- > Assembled with a superior Cat.7 cable by Draka®
- > Four seperate shielded twisted pairs
- Very robust and flexible

AVAILABLE AS FOLLOWING VERSIONS

K5CAT60500I K5CAT63000I K5CAT60300I K5CAT61000I





4 STAR ECON CAT6A

NETWORK CABLE CAT.6A (S/FTP) WITH RJ-45 HOUSING CONNECTORS

- > Premium Network Cable with etherCON® compatible connectors
- Super robust cable thanks to special aluminium foil & PVC jacket
- > Four seperate shielded twisted pairs
- > PoE applicable up to 70m
- In many different versions available

AVAIL	ABLE AS	FOLLOWING	VERSIONS
-------	---------	------------------	-----------------

K4CAT60100 K4CAT65000 K4CAT60500 K4CAT62000 K4CAT60300 K4CAT61000 K4CAT63000 K4CAT67000





4 STAR CAT6A

NETWORK CABLE CAT.6A (S/FTP) WITH RJ-45 CONNECTORS

- Premium Network Cable with Adam Hall connectors
- > Super robust cable thanks to special aluminium foil & PVC jacket
- > Four seperate shielded twisted pairs
- > PoE applicable up to 70m
- > In many different versions available

AVALLABLE	E AS FOLLOWING VERSIONS	
AVAILABLE	E AS FULLUVVING VERSIONS	

K4CAT60100I K4CAT60500I K4CAT62000I K4CAT65000I K4CAT60300I K4CAT61000I K4CAT63000I







4 STAR ECON CAT6A IP65 NETWORK CABLE CAT.6A (S/FTP) WITH REAN® RJ-45 CONNECTORS

- > Premium Network Cable with Rean® IP65 connectors
- > Super robust cable thanks to special aluminium foil & PVC jacket
- > Four seperate shielded twisted pairs
- > PoE applicable up to 70m
- > In many different versions available

AVAILABLE AS FOLLOWING VERSIONS

K4CAT60500IP65 K4CAT63000IP65 K4CAT60100IP65 K4CAT60300IP65 K4CAT61000IP65





3 STAR CAT6A

NETWORK CABLE CAT.6A (S/FTP) WITH RJ-45 CONNECTORS

- > High Quality Adam Hall connectors
- > Very flexible patch cable
- > Four seperate shielded twisted pairs
- > PoE applicable up to 70m
- > In many different versions available

AVAILABLE AS FOLLOWING VERSIONS

K3CAT60100I K3CAT60500I K3CAT63000I K3CAT60300I K3CAT61000I





4 STAR HDMI

- > Premium quality Adam Hall connectors
- > HDMI A male to HDMI A male
- > Resolution up to 8K
- > Also available as a 3 Star version

AVAILABLE AS FOLLOWING VERSIONS

K4HDMI0100 K4HDMI0200 K4HDMI0300



3 STAR HDMI HDMI 1.4 CABLE

- > High quality Adam Hall connectors
- > HDMI A male to HDMI A male
- > Max. rate up to 10.2 Gbit/s
- > HDCP 2.2 Standard
- > Also available as a 4 Star version

AVAILABLE AS FOLLOWING VERSIONS

K3HDMI0300 K3HDMI0500 K3HDMI0750







RACK PDU 8S

19" POWER STRIP 1U 8-WAY WITH SWITCH

- > 2-pole illuminated power switch
- > 8 sockets
- > 19" rack brackets can be mounted in four positions
- > Switch is on the opposite side of the sockets
- > 54 mm depth


AVAILABLE AS FOLLOWING VERSIONS

 87471
 87471C20
 87471USB

 87471X7
 87471T
 87480

RACK PDU 16SS

19" POWER STRIP 1U 16-WAY WITH TWO SWITCHES



- > 2 × 8 sockets
- > Separate switch for front and back sockets
- Overload protection
- > Transparent loose heatshrink

AVAILABLE AS FOLLOWING VERSIONS

874714 87471IEC 874716 87473



RACK PDU 9SS

19" POWER STRIP 2U 3 PHASES & 32A CEE

- > Mountable Power Strip from our 19" PDU range
- > 2 × illuminated switches for front and rear
- > 3 Schuko sockets with cover at the front and 6 45° rotated sockets at the rear
- > Permanently installed mounting brackets
- > With 3 m PVC cable and angled Schuko plug

AVAILABLE AS FOLLOWING VERSIONS

87472







PRO PORT 4 P

POWER STRIP 4 × IP54 SCHUKO OUT 1 × POWEROUT GREY & 1 × POWERIN BLUE

- > 230 V operating voltage, max. 16A
- 4 × IP54 Schuko sockets with protection cover
- Metal housing
- > 2 × M10 mounting points
- > IP20 rated

AVAILABLE AS FOLLOWING VERSIONS

AHPROPORT4 AHPROPORT4CEE



PRO PORT 4 T

POWER STRIP 4 × IP54 SCHUKO OUT & IP65 IN/OUT

- > 230 V operating voltage, max. 16A
- > 4 × IP54 Schuko sockets with protection cover
- > Metal housing
- > 2 × M10 mounting points
- > IP20 rated

AVAILABLE AS FOLLOWING VERSIONS

AHPROPORT4T AHPROPORT6T AHPROPORT2T



PRO PORT 4 TCON

POWER STRIP 5 x IP65 OUT & 1 x IP65 IN

- > 230 V operating voltage, max. 16A
- > 5 × IP65 outputs
- Metal housing
- > 2 × M10 mounting points
- > IP20 rated

AVAILABLE AS FOLLOWING VERSIONS

AHPROPORT4TT AHPROPORT2TT AHPROPORT4PP AHPROPORT2PP





PDU 3 5M

POWER STRIP 3-WAY

- > 250V operating voltage
- > Maximum 16A
- > 3 x Schuko sockets
- > Child safety locks
- > Transparent loose heatshrink

AVAILABLE AS FOLLOWING VERSIONS

8747X3 8747X3M5 8747S3USB 8747X3M3 8747S3



PDU 3 IP

POWER STRIP 3-WAY IP44

- > 250V operating voltage
- > Maximum 16A
- > 3 x Schuko sockets
- > IP44 Sockets
- > Transparent loose heatshrink

AVAILABLE AS FOLLOWING VERSIONS

8747IP3

0000

PDU 4 MOUNT

POWER STRIP MOUNTABLE 4-WAY

- > Robust aluminium housing
- > Perfect for usage with power supplies
- > Rack brackets mountable in four positions
- > Transparent loose heatshrink
- > Mountable on many different surfaces possible

AVAILABLE AS FOLLOWING VERSIONS

87470









3 STAR MULTICORE 20 CHANNEL 15 M MULTICORE STAGEBOX 16 × SEND & 4 × RETURN

- > 20 channel multicore stagebox
- > 15 m cable
- > With wire rope strain relief
- > Coded with numbers on the splice
- Conductor cross-section of 0.14 mm²

AVAILABLE AS FOLLOWING VERSIONS			
K12C10	K20C30	K28C30	
K12C15	K20C50	K32C30	





3 STAR LOOM 8 MV STUDIO LOOM CABLE 8 × XLR MALE TO 8 × JACK TRS

- > High Quality Adam Hall connectors
- > Coded with numbers on the plugs
- > Coded with coloured markings
- > In many different versions available
- > Conductor cross-section of 0.22 mm²

AVAILABLE AS	FOLLOWING VE	RSIONS		
K3L8MV0300	K3L8FV0300	K3L8MF0300	K3L8PC0500	K3L8VP0300
K3L8MV0500	K3L8FV0500	K3L8MF0500	K3L8PP0300	K3L8VP0500
		K3L8PC0300	K3L8PP0500	K3L8VV0300






4 STAR CATBOX AUDIO & DMX, AES/EBU ADAPTER CAT.6A TO XLR

- > RJ-45 socket to XLR adapter, also etherCON® compatible
- > With robust braided jacket
- > For transmission of up to 4 separate channels via network cable
- > Available in four different versions
- > Cable diameter of only 6 mm

AVAILABLE AS FOLLOWING VERSIONS				
K4CATBOXXF3	K4CATBOXXF5	K4CATBOXXM3	K4CATBOXXM5	









5 STAR M 222MICROPHONE CABLE 2 × 0.22 MM² AWG24

- 5 Star Series
- > Made in EU
- > Packaging unit: 100 m on drum
- > Superior quality transmission due to fine stranded wires
- > Drummable thanks to its high flexibility

AVAILABLE AS FOLLOWING VERSIONS

K5M222





4 STAR M 222 MICROPHONE CABLE 2 × 0.22 MM² AWG24

- > 4 Star 'STANDARD' Series
- > Packaging unit: 100 m on drum
- Very robust soft PVC jacket
- > 100% shielding due to its copper spiral shielding
- > Our standard microphone cable

AVAILABLE AS FOLLOWING VERSIONS

K4M222PATCH





3 STAR M 222MICROPHONE CABLE 2 × 0.22 MM² AWG24

- > 3 Star Series
- > Packaging unit: 100 m in one piece
- > The copper spiral shielding covers almost the entire conductor, protects the line from interferences, and is still very bendable and flexible
- > We only use a special PVC compound that is abrasion resistant and provides the necessary bending abilities
- > We only use OFC (oxygen-free-copper) for all our conductors

AVAILABLE AS FOLLOWING VERSIONS

K3M222







5 STAR D 222DMX, AES/EBU CABLE 2 × 0.22 MM² AWG24

- > 5 Star Series
- > Made in EU
- > Packaging unit: 100 m in one piece
- > With high-quality copper spiral shield for very good shielding behavior and optimum bending behavior
- > Outstanding transmission quality
- > Extremely robust PVC jacket (UV-resistant)

AVAILABLE AS FOLLOWING VERSIONS

K5D222





4 STAR D 222 DMX, AES/EBU CABLE 2 × 0.22 MM² AWG22

- > 4 Star 'STANDARD' Series
- > Packaging unit: 100 m on drum
- Very robust soft PVC jacket
- > 100% shielding due to its copper spiral shielding
- > Our standard microphone cable

AVAILABLE AS FOLLOWING VERSIONS

K4D222





3 STAR D 222

DMX, AES/EBU CABLE 2 × 0.22 MM² AWG22

- > 3 Star Series
- > Packaging unit: 100 m on drum
- > Robust soft-PVC jacket
- > 95% shielding due to its dense spiral wires
- > High flexibility

AVAILABLE AS FOLLOWING VERSIONS







5 STAR I 122 INSTRUMENT CABLE 0.22 MM² AWG24

- 5 Star Series
- > Made in EU
- > Packaging unit: 100 m on drum
- > Superior quality transmission due to fine stranded wires
- > Drummable thanks to its high flexibility

AVAILABLE AS FOLLOWING VERSIONS

K5I122





4 STAR I 122 INSTRUMENT CABLE 0.22 MM² AWG24

- > 4 Star 'STANDARD' Series
- > Packaging unit: 100 m on drum
- Very robust soft PVC jacket
- > 100% shielding due to its copper spiral shielding
- > Our standard microphone cable

AVAILABLE AS FOLLOWING VERSIONS

K4I122





3 STAR I 122

INSTRUMENT CABLE 0.22 MM² AWG24

- > 3 Star Series
- > Packaging unit: 100 m on drum
- > Robust soft-PVC jacket
- > 95% shielding due to its dense spiral wires
- High flexibility

AVAILABLE AS FOLLOWING VERSIONS







5 STAR L 215SPEAKER CABLE 2 × 1.5 MM² AWG16

- 5 Star Series
- > Made in EU
- > Packaging unit: 100 m on drum
- > Superior quality transmission due to fine stranded wires
- > Drummable thanks to its high flexibility

AVAILABLE AS FOLLOWING VERSIONS

K5L215





4 STAR L 215

- 4 Star Series
- > Packaging unit: 100 m on drum
- Very robust soft PVC jacket
- > Premium quality transmission due to fine stranded wires
- > Our standard microphone cable

AVAILABLE AS FOLLOWING VERSIONS

K4L215SNOW





3 STAR L 215

SPEAKER CABLE 2 × 1.5 MM² AWG16

- > 3 Star Series
- > Packaging unit: 100 m on drum
- > Robust soft-PVC jacket
- > High quality transmission values
- High flexibility

AVAILABLE AS FOLLOWING VERSIONS

K3L215







5 STAR NETWORK CAT7A PUR NETWORK CABLE CAT.7A (S/FTP) WITH PUR JACKET

- > 5 Star Series
- > Made in EU
- > Packaging unit: 100 m on drum
- > Superior quality transmission values
- > Drummable thanks to its high flexibility

AVAILABLE AS FOLLOWING VERSIONS

K5NCAT7





4 STAR N CAT6

- > 4 Star 'STANDARD' Series
- > Packaging unit: 100 m on drum
- > Super robust cable thanks to special aluminium foil & PVC jacket
- > Outdoor temperature resistant jacket
- > Four seperate shielded twisted pairs

AVAILABLE AS FOLLOWING VERSIONS

K4NCAT6CC K4NCAT6D





4 STAR HPD

HYBRID CABLE POWER & DMX

- > 4 Star 'STANDARD' Series
- > Packaging unit: 100 m on drum
- > Very robust soft PVC jacket
- > Premium quality transmission due to fine stranded wires
- > Our standard cable

AVAILABLE AS FOLLOWING VERSIONS

K4HPD315 K4HPD325





HYBRID CABLE POWER & AUDIO

- > 4 Star 'STANDARD' Series
- > Packaging unit: 100 m on drum
- Very robust soft PVC jacket
- > Premium quality transmission due to fine stranded wires
- > Our standard cable

AVAILABLE AS FOLLOWING VERSIONS

K4HPA315 K4HPA325











4 STAR C XF3

- > Premium XLR plug from our 4 Star Series
- > For cables with a diameter from 5 to 6.5 mm
- > 3-pole with silver-plated contacts
- > Stable and long-life Zinc die-cast housing
- > Also availble in different versions

AVAILABLE AS FOLLOWING VERSIONS			
K4CXF3	K4CXF3SNOW	K4CXF3IP65	K4CXF5BLK
K4CXM3	K4CXM3SNOW	K4CXM3IP65	K4CXM5BLK
K4CXF3BLK	K4CXF3A	K4CXF5	K4CXF5IP65
K4CXM3BLK	K4CXM3A	K4CXM5	K4CXM5IP65





- > High quality XLR plug from our 3 Star Series
- > For cables with a diameter from 4 to 8 mm
- > 3-pole with silver-plated contacts
- > Stable and long-life Zinc die-cast housing
- > Solder contacts



AVAILABLE AS FOLLOWING VERSIONS			
K3CXF3	КЗСХМЗ	K3CXF3PAIR	
K3CXF3BLK	K3CXM3BLK	K3CXM3PAIR	





4 STAR C SF4

STANDARD SPEAKER CONNECTOR 4-POLE

- 4 Star Series
- > Standard speaker connector with screwable contacts (also solderable)
- > Compatible with all kind of 4-pole speakON® sockets
- > Easy click-system
- > With strain-relief for cables from 5 to 12 mm

AVAILABLE AS FOLLOWING VERSIONS

K4CSF4BLK K3CSF4







4 STAR CJM2

- 4 Star Series
- > Gold-plated contacts
- > With spring bend protection for preventing the cable from breaking
- Black housing
- > Also available in zinc optic and as balanced TRS version

AVAILABLE AS FOLLOWING VERSIONS

K4CJM2 K4CJM3 K4CJM2BLK K4CJM3BLK



4 STAR CJM2 A BLK 6.3 MM ANGLED JACK TS

- 4 Star Series
- > Gold-plated contacts
- > With spring bend protection for preventing the cable from breaking
- > Black housing
- > With blister packaging



AVAILABLE AS FOLLOWING VERSIONS

K4CJM2ABLK



3 STAR CJM 2 6.3 MM JACK TS

- > 3 Star Series
- > Silver-plated contacts
- > Robust housing
- > For instrument signal transmission
- > Also available for balanced TRS transmissions



AVAILABLE AS FOLLOWING VERSIONS







4 STAR C PF IN POWER CONNECTOR POWERIN BLUE

- > Premium connector from our 4 Star Series
- > 250V operating voltage
- > Quick and easy locking
- > Compatible with all common powerCON® sockets
- > Extremely robust due to polyamide housing

AVAILABLE AS FOLLOWING VERSIONS

K4CPFIN



4 STAR C PF OUT POWER CONNECTOR POWEROUT GREY

- > Premium connector from our 4 Star Series
- > 250V operating voltage
- > Quick and easy locking
- > Compatible with all common powerCON® sockets
- > Extremely robust due to polyamide housing



AVAILABLE AS FOLLOWING VERSIONS

K4CPFOUT



4 STAR C CAT6

NETWORK CONNECTOR RJ-45

- > With screwable grommet
- > Fully shielded against electrical interferences due to metal housing
- > With integrated copper fleece
- Contacts coated with gold
- > For cable diameters from 7 to 8.5 mm



AVAILABLE AS FOLLOWING VERSIONS

K4CCAT6





4 STAR A BLU LINE

- > 4 Star Series from our BLU Line
- Metal housing
- > Gold-plated contacts
- > Premium transmission values
- In 5 different versions available

AVAILABLE AS FOLLOWING VERSIONS

K4AJF3MM3GBLU K4AMF3IM3GBLU K4AJM2JM2GBLU K4ARF2JM2GBLU K4AJM2JM2SGBLU









4 STAR CD 042 PROFESSIONAL SMALL CABLE DRUM

- > Small & handy cable drum
- > Ergonomically, shaped rotating crank
- > With a cable guide, which also serves as a strain-relief
- > Rubber feet are non-slip even on slippery surfaces
- > Exchangeable cover plate

AVAILABLE AS FOLLOWING VERSIONS

K4CD042



3 STAR CD 042 SMALL CABLE DRUM

- > Small & handy cable drum
- > Ergonomically, shaped rotating crank
- > With a cable guide, which also serves as a strain-relief
- > Rubber feet are non-slip even on slippery surfaces
- > Exchangeable cover plate



AVAILABLE AS FOLLOWING VERSIONS

K3CD042



70225
PROFESSIONAL CABLE DRUM

- > Rugged cable drum made of special shatter-proof plastic
- > Ergonomically milled handle
- Parking brake
- > Removable cable guide
- Only 1.8 kg

AVAILABLE AS FOLLOWING VERSIONS

70225



70230 LARGE CABLE DRUM WITH CASTORS

- > Powder coated steel
- > With four castors
- > Parking brake
- > Very robust
- > Only 15 kg

AVAILABLE AS FOLLOWING VERSIONS

70250

70260







4 STAR CD 450 INDUSTRIAL MEDIUM CABLE DRUM

- > Made of powder-coated steel
- > Including adjustable separator for flexible size adjustment of the winding regions
- > Rubber feet replaceable by optionally available castors
- > Slots for fastening the cable with a Velcro strip
- > Rotating parking brake

AVAILABLE AS FOLLOWING VERSIONS

K4CD450



3 STAR CD 450 INDUSTRIAL MEDIUM CABLE DRUM

- > Made of powder-coated steel
- > Including a separator f.e. for separating the connector or the stagebox from the line, or for putting another cable onto the drum
- > The product comes with rubber feet
- > With detachable handle crank



AVAILABLE AS FOLLOWING VERSIONS

70250



4 STAR CD 650 INDUSTRIAL LARGE CABLE DRUM

- > Made of powder-coated steel
- > Including adjustable separator for flexible size adjustment of the winding regions
- > Rubber feet replaceable by optionally available castors
- > Slots for fastening the cable with a Velcro strip
- > Rotating parking brake



AVAILABLE AS FOLLOWING VERSIONS

K4PCONL0150



3 STAR CD 650

- > Made of powder-coated steel
- > Suitable for long runs of multicore
- Axle bearings



AVAILABLE AS FOLLOWING VERSIONS

70260 70230









ORGAFLEX® CABLE BAG PRO

PROFESSIONAL PADDED ORGANIZER BAG FOR CABLES AND ACCESSORIES

- > Simple and effective organizer for transporting and storing cables and accessories
- > User-friendly interior design with many compartments
- > Easy to carry, perfect as a practical companion e.g. studio, stage or rehearsal room
- > Dimensions: 560 mm × 280 mm × 340 mm
- > With adjustable compartments for easy separation of the various cables

AVAILABLE AS FOLLOWING VERSIONS

KCABLEBAGPRO





ORGAFLEX® CABLE BAG XL PADDED ORGANISER BAG FOR CABLES & ACCESSORIES 21"

- > Simple and effective organiser
- > User-friendly interior design with two compartments
- > With ergonomic carrying handle
- > Easy to carry, perfect as practical companion for studio, stage or storage
- > Dimensions: 450 mm × 310 mm × 150 mm

AVAILABLE AS FOLLOWING VERSIONS

KCABLEBAGXL





ORGAFLEX® CABLE BAG L

PADDED ORGANISER BAG FOR CABLES & ACCESSORIES 19

- > Simple and effective organiser
- > User-friendly interior design with two compartments
- > With ergonomic carrying handle
- > Easy to carry, perfect as practical companion for studio, stage or storage
- > Dimensions: 400 mm × 275 mm × 140 mm

AVAILABLE AS FOLLOWING VERSIONS

KCABLEBAGL







ORGAFLEX® CABLE BAG M PADDED ORGANISER BAG FOR CABLES & ACCESSORIES 17"

- > Simple and effective organiser
- > User-friendly interior design with two compartments
- > With ergonomic carrying handle
- > Easy to carry, perfect as practical companion for studio, stage or storage
- > Dimensions: 360 mm × 250 mm × 140 mm

AVAILABLE AS FOLLOWING VERSIONS

KCABLEBAGM



ORGAFLEX® CABLE BAG S PADDED ORGANISER BAG FOR CABLES & ACCESSORIES 14"

- > Simple and effective organiser
- > User-friendly interior design with two compartments
- > With ergonomic carrying handle
- > Easy to carry, perfect as practical companion for studio, stage or storage
- > Dimensions: 310 mm × 200 mm × 80 mm



AVAILABLE AS FOLLOWING VERSIONS




SCS 19

CABLE HOLDER FOR WALL MOUNTING

- > Powder coated steel
- > With two holes for screwing in the wall
- > 2 mm material thickness
- > Colour: black
- 318 mm × 65 mm × 55 mm




CABLE HOLDER FOR WALL OR STAND MOUNTING WITH 3/8" THREAD HOLE



- > Holds up to 27 cables with a diameter of 4 to 11 mm
- Versatile mounting with 3/8" thread for microphone stands
- Pre-drilled holes for secure wall installation
- Dimensions: 450 mm × 65 mm × 65 mm
- Can also be mounted on speaker stands using the Gravity VARI® arm
- > Integrated tray at the L-junction for convenient storage of small accessories like pens and adapters













4 STAR M 250 CPR MICROPHONE CABLE 0.50 MM² AWG20 | INDOOR INSTALL CABLE (CLASS: ECA)

- > Indoor install cable from our 4 Star Series
- > Packaging unit: 100 m on drum
- > Tested and approved for CPR class: Eca
- > With a special jacket for heavy flammability and halogen-free
- > Light stiffness, perfect for passing through concrete f.e.

AVAILABLE AS FOLLOWING VERSIONS

K4M250CPR





4 STAR D 222 CPR DMX, AES/EBU CABLE 0.22 MM² AWG24 | INDOOR INSTALL CABLE (CLASS: ECA)

- > Indoor install cable from our 4 Star Series
- > Packaging unit: 100 m on drum
- > Tested and approved for CPR class: Eca
- > With a special jacket for heavy flammability and halogen-free
- > Light stiffness, perfect for passing through concrete f.e.

AVAILABLE AS FOLLOWING VERSIONS

K4D222CPR





4 STAR L 215 CPR SPEAKER CABLE 1.5 MM² AWG16 | INDOOR INSTALL CABLE (CLASS: ECA)

- > Indoor install cable from our 4 Star Series
- > Packaging unit: 100 m on drum
- > Tested and approved for CPR class: Eca
- > With a special jacket for heavy flammability and halogen-free
- > Light stiffness, perfect for passing through concrete f.e.

AVAILABLE AS FOLLOWING VERSIONS

K4L215CPR







4 STAR L 225 CPR SPEAKER CABLE 2.5 MM² AWG 13 | INDOOR INSTALL CABLE (CLASS: ECA)

- > Indoor install cable from our 4 Star Series
- > Packaging unit: 100 m on drum
- > Tested and approved for CPR class: Eca
- > With a special jacket for heavy flammability and halogen-free
- > Light stiffness, perfect for passing through concrete f.e.

AVAILABLE AS FOLLOWING VERSIONS

K4L225CPR





4 STAR L 240 CPR SPEAKER CABLE 4.0 MM² AWG11 | INDOOR INSTALL CABLE (CLASS: ECA)

- > Indoor install cable from our 4 Star Series
- > Packaging unit: 100 m on drum
- > Tested and approved for CPR class: Eca
- > With a special jacket for heavy flammability and halogen-free
- > Light stiffness, perfect for passing through concrete f.e.

AVAILABLE AS FOLLOWING VERSIONS

K4L240CPR





4 STAR N CAT 5 NETWORK CABLE (S/UTP) HALOGENFREE


- > Indoor install cable from our 4 Star Series
- > Packaging unit: 100 m on drum
- > Halogenfree jacket
- > With a special jacket for flammability and halogen-free
- > Light stiffness, perfect for passing through concrete f.e.

AVAILABLE AS FOLLOWING VERSIONS

K4NCAT5









EDITION 2025

The information and numerical data contained in this publication has been prepared as a general guide to the products, potential buyers and users must however satisfy themselves as to the suitability and the applicability of the products for their particular purposes and duties. No responsibility is assumed for any errors herein. The company reserves the right to alter the designs, materials and specifications of the products shown in this publication without notice.











